## **IN THE CLAIMS**:

1. (Currently Amended) A method of analyzing grammar using a part-of-speech tagged parser with a template-based computer-assisted learning system <u>implemented on a computer to teach</u> language to a learner comprising the steps of:

preassigning words and phrases of an input sentence with part-of-speech tags; regarding any phrase preassigned with a part-of-speech tag as one word; setting a probability of preassigned words having a given tag as 1;

setting a probability of <u>any word nonassigned words</u> having a given tag as 0 <u>if the</u> word has been assigned with a different tag;

obtaining a plurality of grammar trees;

finding a combination within said plurality of grammar trees to maximize probability of the final grammar tree being any of a grammar tree with the following formula to choose the one with largest probability  $P_{tree}$ :

$$P_{tree}(T) = \prod_{rule_i \text{ in } T} P_{rule_i} \bullet \prod_{tag_j \text{ of word}_j \text{ in } T} (P(tag_j \mid word_j))^2$$

where  $P_{rule_i}$  denotes the probability of a rule to take on rule i,  $P(tag_j | word_j)$  is the probability of the word j being assigned to part-of-speech tag be  $tag_j = \underline{t}$  and

using said final grammar tree to provide error feedback to and teach said learner correct sentence grammar.

(Currently Amended) A method of applying a part-of-speech tagged (POST) parser in a template-automaton-based computer-assisted language learning system using a computer, comprising the steps of:

reading a keyed in an input sentence keyed into the computer;

checking the sentence with a standard spell check model by said computer, and correcting spelling errors;

finding, using said computer, a best matched path having a highest similarity value with the input sentence;

providing lexical error information, feedback information as well as a score of the input sentence to a learner;

according to the error feedback information, finding a correct path in the template using said computer;

applying the POST parser to obtain a syntactically bracketed grammar structure for the correct path using said computer, said POST parser regarding any phrase preassigned with a part-of-speech tag as one word, setting a probability of preassigned words having given tags as 1, and setting a probability of each word having a tag as 0 if the word has been assigned with a different tag; and

drawing the parsed a grammar tree of the correct path on a display and marking the errors at leaves of the relevant said grammar tree using said computer;

whereby said learner receives instruction and is able to learn proper language grammar.